



The Essi Corporation (8 Ft. x 6 Ft.) "Clamp-On" Deck With Hand Rails is ideal for remote "satellite well" applications.

The (8 Ft. x 6 Ft.) "Clamp-On" Deck is fabricated with lifting eyes on each corner. The grated deck is able to accommodate the pre-installed required United States Coast Guard (USCG) approved Aids To Navigation with extra room for additional production equipment.

The most common clamp diameter is (48 In.). Clamp diameter sizes are also available for (60 In.) and (36 In.) wells.

Optional Fabrication includes ladder/cage, and boat landing (180° or 360° configurations).




Essi Corporation

Telephone: (337) 837-Essi(3774)

Telefax: (337) 837-3712

www.essicorp.com



8 Ft. x 6 Ft. "Clamp On" Deck With Hand Rails

The Essi Corporation (8 Ft. x 6 Ft.) "Clamp-On" Deck With Hand Rails is ideal for remote "satellite well" applications.

The (8 Ft. x 6 Ft.) "Clamp-On" Deck is fabricated with lifting eyes on each corner. The grated deck is able to accommodate the pre-installed required United States Coast Guard (USCG) approved Aids To Navigation with extra room for additional production equipment.

The most common clamp diameter is (48 In.). Clamp diameter sizes are also available for (60 In.) and (36 In.) wells.




Essi Corporation

Telephone: (337) 837-Essi(3774)

Telefax: (337) 837-3712

www.essicorp.com




Essi Corporation

Telephone: (337) 837-Essi(3774)

Telefax: (337) 837-3712

www.essicorp.com



Ladder Length is determined by height of Deck from water surface but no less and 20 Ft. above mean high water.




Essi Corporation

Telephone: (337) 837-Essi(3774)

Telefax: (337) 837-3712

www.essicorp.com



The Boat Landing is Available in 180° or 360° Configurations.

Essi Corporation
Telephone: (337) 837-Essi(3774)
Telefax: (337) 837-3712
www.essicorp.com